

HPHARMA®

Your Pharmacy Fitter Partner



Pharmalight & Pharmaslim

Table of contents

Part 1: Pharmalight

- Square Tube systems 30/30	- Upright « I »	4
	- Zamak insert 30/30 M10	4
	- Floor Leveller	4
	- Ceiling Leveller 30/30 M10	4
	- Insert for 30/30 tube	4
	- Wall Distance Holder	5
	- Upright « L » 30/30	6
	- L-Tube incliné	7
- Pharma Frames:	- Pharma Frame 1300 SSP6	8
	- Bracket for intermediary attachment for Pharma Frame 1300 SSP6	8
	- Glass shelves 8 mm for Pharma Frames	8
	- Pharma Frame 1300 DSP 6	9
	- Brackets for glass shelves	9
	- Inverted brackets for 8mm glass shelves	9
	- Brackets « Non-Stop »	9
	- Bracket frames for glass shelves	9
- Central Podium:	- Podium Vision 360°	10
- Display Frames:	- Shop Side Frames	11
	- Center Furniture	11
	- Wall Display Frame	12
	- Front Display Frame	12
- Gondolas:	- Gondola Frame	13
	- Gondola Front Frame	13
	- Support signalétique à accrocher pour mobilier Pharmalight	14
	- Support signalétique réversible pour mobilier Pharmalight	14

Part 2: Pharmaslim 20/20

- Cube structures 20/20:	- Slim 440 mm	15
	- Slim 500 mm	15
	- Slim 583 mm	15
	- Slim 700 mm	15
	- Slim 800 mm	15

Part 1: Pharmalight

Square Tube systems 30/30

Upright « I »

Metal tube 30/30 for wall or floor and ceiling mounting
P35 single sided (SSP6) or double sided (DSP6) punched
Floor leveller and Zamak insert are offered separately

When used in conjunction with presentation accessories, it is imperative to respect the H-Pharma c/c measurements

Pitch 35 mm

RAL 7021 S

RAL 9016 S

Height: 2800 mm

Double sided (DSP)

31-3030-06-2800-7021-S

31-3030-06-2800-9016-S

Single sided (SSP)

31-3030-05-2800-7021-S

31-3030-05-2800--9016-S

Height: 3000 mm

Double sided (DSP)

31-3030-06-3000-7021-S


31-3030-06-3000--9016-S

Single sided (SSP)

31-3030-05-3000-7021-S

31-3030-05-3000--9016-S

Zamak insert 30/30 M10



Optional Zamak insert for floor leveller to place in 30/30 tube

30-04-002-01

Floor Leveller



Floor leveller M10 Ø 30 x h. 57 mm

61-30-03

Optional floor leveller for Zamak insert (30-04-002-01)

30-04-002-01


Ceiling Leveller 30/30 M10



Ceiling leveller M10 Ø 30 x h. 55 mm

61-30-06


Insert for 30/30 tube



Insert for wall and ceiling mounting 25 x 25 x 25 mm

31-04-002

Wall Distance Holder



Distance holder for "I" tube to create the desired distance between wall and tube, to hook into the perforations of the tube and to attach to the wall

Insert 31-04-002 for wall and ceiling mounting

Unassembled delivered

Please Note: Ensure a sturdy wall mounting

Minimum depth 350 mm (shorten as desired)

Recommendation: Minimum 2 distance holders per tube


Pitch 35 mm

RAL 7021 S


RAL 9016 S

31-3030-07-350-7021-S 31-3030-07-350-9016-S

Applications :




Application « I » tube DSP



Application « I » tube SSP



Application « I » tube against a wall



Application « I » tube with tension fixing between floor and ceiling

Upright « L » 30/30

Metal tube 30/30 in the form of an inverted « L »

Wall mounting via the upper bracket and through the floor leveller at the bottom of the tube

Metal frame 30/30 for wall mounting SSP6

Maximum total depth: 360 mm

Height from the ground, floor leveller not included: 2425 mm

Floor leveller, Zamak insert & wall mounting insert ready to be assembled

Possibility to adjust the length

Ideal to highlight beauty and high quality products


Pitch 35 mm

H. 2450 x D. 360 mm

RAL 7021 S

RAL 9016 S


31-01-360-2450-7021-S 31-01-360-2450-9016-S



Applications :



L-Tube incliné



Tube métallique 30/30 en forme de « L » inversé

Inclinaison de 5°.

Montage mural via la fixation supérieure et le stabilisateur en base du montant.

Profondeur hors tout maximale: 360 mm

Hauteur depuis le sol, pied vérin non compris: 2425 mm

Pieds vérin + pièce d'insertion + fixation murale fournis non montés.

Possibilité d'adapter la profondeur.

Idéal pour la mise en valeur de produits cosmétiques et haut de gamme.

Pitch 35 mm

H. 2450 x D. 360 mm


RAL 7021 S

RAL 9016 S

31-01-360-2450-7021-S 31-01-360-2450-9016-S

Pharma Frames

Pharma Frame 1300 SSP6



Metal frame 30/30 single perforation (inside) to combine with a base or hanging system according to your project design
Ideal for capturing the eye of the customers in high-foot traffic areas
Furniture to equip with shelves and bracket for intermediary attachment 60-10-03-05
Please Note: a suitable stand or hanging is necessary to secure the frame
Suitable for shelves 805 mm c/c

RAL 7021 S

RAL 9016 S

H. 1300 x w. 865 mm

31-01-865-1300-7021-S 31-01-865-1300-9016-S



Bracket for intermediary attachment for Pharma Frame 1300 SSP6

Bracket P.35 for intermediary attachment

RAL 7021 S

RAL 9016 S

D. 250 x w. 20 x H. 80 mm

60-10-03-05-7021-S

60-10-03-05-9016-S

- Recommended for shelves 250 to 400 mm
- Maximum permitted shelf overhang of 75 mm on each side
- Bracket for Pharma Frame 31-01-865-1300 (Pharmalight range)

31-05-865-1300

Glass shelves 8 mm for Pharma Frames

Glass shelves L. 797 mm for Pharma Frame SSP and DSP

References

Non tempered etched glass - angles 90° D. 200 mm

35-01-20-805

Non tempered etched glass - angles 90° D. 250 mm

35-01-25-805

Tempered clear glass - angles 90° D. 250 mm

35-05-25-805

Acidifié trempé - coins 90° p. 250 mm

35-08-25-805

Non tempered etched glass - 2 rounded angles - r. 15mm

25-02-25-805

Tempered clear glass - 2 rounded angles - r. 15 mm


35-06-25-805

Tempered clear glass - angles 90° D. 300 mm

35-05-30-805

Acidifié trempé - coins 90° p. 300 mm

35-08-30-805




Pharma Frame 1300 DSP 6

Metal frame 30/30 double perforation (front and back) to combine with a base or hanging system according to your project design

Ideal for a centralized presentation of products display with shelves and carriers
Please Note: a suitable stand or hanging is necessary to secure the frame

Suitable for shelves 805 mm c/c
Total width: 833 mm



H. 1300 x w. 833 mm

RAL 7021 S

RAL 9016 S

31-01-805-1300-7021-S

31-01-805-1300-9016-S



Brackets for glass shelves

Pitch 35

RAL 7021 S

RAL 9016 S

Right

60-10.01-01-7021-S

60-10.01-01-9016-S

Left

60-10.02-01-7021-S

60-10.02-01-9016-S



Inverted brackets for 8mm glass shelves

Pas 35

RAL 7021 S

RAL 9016 S

Right

60-10.01-15-25-7021-S

60-10.01-15-25-9016-S

Left

60-10.02-15-25-7021-S

60-10.02-15-25-9016-S



Brackets « Non-Stop »

Pitch 35

RAL 7021 S

RAL 9016 S

L. 200 mm

Droite

60-10.01-18-7021-S

60-10.01-18-9016-S

Gauche

60-10.02-18-7021-S

60-10.02-18-9016-S

L. 250 mm

Droite

60-10.01-25-7021-S

60-10.01-25-9016-S

Gauche

60-10.02-25-7021-S

60-10.02-25-9016-S

L. 350 mm

Droite

60-10.01-35-7021-S

60-10.01-35-9016-S

Gauche

60-10.02-35-7021-S

60-10.02-35-9016-S

L. 450 mm

Droite

60-10.01-45-7021-S

60-10.01-45-9016-S

Gauche

60-10.02-45-7021-S

60-10.02-45-9016-S

L. 550 mm

Droite

60-10.01-55-7021-S

60-10.01-55-9016-S

Gauche

60-10.02-55-7021-S

60-10.02-55-9016-S

Applications :



Bracket frames for glass shelves

Depth 250 mm and 300 mm / Thickness 40 mm

805 x 250 mm


60-10.03-25-805-7021-S

60-10.03-25-805-9016-S

805 x 300 mm

60-10.03-30-805-7021-S

60-10.03-30-805-9016-S



Central Podium

Podium Vision 360°



Gradual presentation exposure 30/30 welded tubes for the presentation of products.
The metal structure is suitable for the following glass shelves. (to be ordered separately)
Cascading depth of the shelves: 190, 250, 300, 350 mm

Light, compact, easy to move and product visibility of 360°
Pre-assembled castor wheels - easy to manoeuvre
Different finishing possibilities according to your creativity

RAL 7021 S

H. 1300 x w. 961 x D. 400 mm

31-04-961-1300-7021-S

Tempered clear glass shelves 8 mm:

897 x 190 mm

35-05-19-905

897 x 250 mm

35-05-25-905

897 x 300 mm

35-05-30-905

897 x 350 mm

35-05-35-905



Recommendation:

Magnetic label holders for paper price labels 50 x 26 mm


50-04-027-50

See catalogue part 7 « C-Paper » in catalogue « Accessories »



Display Frames*

Shop Side Frame



Metal side frame 30/30 SSP6 single perforation for product presentation.
 Perpendicular vertical application against a wall, attachment of your choice
 Adjustable widths according to your request
 H-Pharma's c/c widths: Availability of glass/metal shelves and organisational accessories. Refer to Catalogue « Accessories »
 Maximum shelf depth: 300 mm
 Including floor levellers diameter 30 mm
 Height including floor levellers: 2200 mm

Pitch 35 mm

H. 2240 x D. 400 mm

H. 2450 x D. 400 mm

RAL 7021 S

31-01-400-2240-7021-S

31-01-400-2450-7021-S

RAL 9016 S

31-01-400-2240-9016-S

31-01-400-2450-9016-S

Recommendation:

It is advisable to attach the frame with the perforations facing the wall

The perforations are not visible to the customer




Center Furniture

Volume métallique en tubes 30/30 soudés. (SSP3)
 Idéal pour une présentation en vitrine ou au centre de la pièce.
 Pieds vérins Ø 30 mm inclus.

Pitch 35 mm


Mid-distances Dimensions

Mid-distances	Dimensions	RAL 7021 S	RAL 9016 S
588	H. 1400 x w. 618 x D. 370 mm	31-04-588-1400-7021-S	31-04-588-1400-9016-S
655	H. 1820 x w. 683 x D. 370 mm	31-04-655-1820-7021-S	31-04-655-1820-9016-S
705	H. 1400 x w. 733 x D. 370 mm	31-04-705-1400-7021-S	31-04-705-1400-9016-S
705	H. 1610 x w. 733 x D. 370 mm	31-04-705-1610-7021-S	31-04-705-1610-9016-S
705	H. 1820 x w. 733 x D. 370 mm	31-04-705-1820-7021-S	31-04-705-1820-9016-S
705	H. 2030 x w. 733 x D. 370 mm	31-04-705-2030-7021-S	31-04-705-2030-9016-S
805	H. 1400 x w. 833 x D. 370 mm	31-04-805-1400-7021-S	31-04-805-1400-9016-S
805	H. 1610 x w. 833 x D. 370 mm	31-04-805-1610-7021-S	31-04-805-1610-9016-S
805	H. 2030 x w. 833 x D. 370 mm	31-04-805-2030-7021-S	31-04-805-2030-9016-S



* other sizes available on request
 5 weeks lead time

Wall Display Frame



Metal wall frame 30/30 SSP3 single perforation for product presentation


Wall mounting as desired

Includes floor levellers diameter 30 mm


Equipped with our different brackets and shelves (705 and 805 mm c/c). Refer to Part 2 « Brackets & accessory holders » in brochure « Accessories »

Total width 733/833. Height including floor levellers 2200 mm

	RAL 7021 S	RAL 9016 S
H. 2240 x w. 705 mm	31-01-705-2240-7021-S	31-01-705-2240-9016-S
H. 2240 x w. 805 mm	31-01-805-2240-7021-S	31-01-805-2240-9016-S
H. 2450 x w. 805 mm	31-01-805-2450-7021-S	31-01-805-2450-9016-S



Front Display Frame



Decorative frame 30/30 to combine with the Wall Display Frame

Ideal to emphasise a specific product range or highlight a zone

Best to secure in the Wall Display Frame's perforations

Total width 733/833

Height including floor levellers: 2200 mm

When using the Front Display Frame:

Maximum shelf depth: 250 mm


	RAL 7021 S	RAL 9016 S
H. 2240 x w. 705 x d. 300 mm	31-01-3705-2240-7021-S	31-01-3705-2240-9016-S
H. 2240 x w. 805 x d. 300 mm	31-01-3805-2240-7021-S	31-01-3805-2240-9016-S
H. 2450 x w. 805 x d. 300 mm	31-01-3805-2450-7021-S	31-01-3805-2450-9016-S

* other sizes available on request



Gondolas

Gondola Frame



Modern design Gondola stand
Metal frame 30/30 double perforation (DSP3)
Assembled part, no buildup system
Includes floor levers diameter 30 mm
Complement your Gondola Frame with a base plate and/or multiple cladding possibilities
Total width 733/833. Height including floor levers 1305 mm

Pitch 35 mm

H. 1280 x w. 705 x D. 540 mm

H. 1280 x w. 805 x D. 540 mm

H. 2030 x w. 805 x D. 540 mm

RAL 7021 S

RAL 9016 S

31-02-705-1280-7021-S 31-02-705-1280-9016-S

31-02-805-1280-7021-S 31-02-805-1280-9016-S

31-02-805-2030-7021-S 31-02-805-2030-9016-S

Recommendation:

Tempered clear glass:

705 x 250 mm: 35-05-25-705

805 x 250 mm: 35-05-25-805



Gondola Front Frame



Modern design Gondola-End to be placed against the Gondola Frame
Metal Frame 30/30 single perforation (SSP3)
Assembled part, no buildup system
Includes floor levers diameter 30 mm
Complement your Gondola Frame Front with a base plate, a wall decoration and/or multiple cladding possibilities
Total width: 540 mm. Height including floor levers 1305 mm

Pitch 35 mm

H. 1280 x w. 540 x D. 285 mm

RAL 7021 S

RAL 9016 S

31-03-540-1280-7021-S 31-03-540-1280-9016-S

Recommendation:

Tempered clear glass:

250 mm: 35-05-25-506

506 x

- Multiple hooks holder :



30-11-20-512-21

30-11-20-512-16


- Discounter

30-09-20-512-7021-S

30-09-20-512-9016-S



Support signalétique à accrocher pour mobilier Pharmalight



Dimension: D. x H. 120 mm

Length (mm)	Mid-distances mm	RAL 7021 S	RAL 9016 S
551	588	30-11-12-588-7021-S	30-11-12-588-9016-S
618	655	30-11-12-655-7021-S	30-11-12-655-9016-S
671	705	30-11-12-705-7021-S	30-11-12-705-9016-S
718	755	30-11-12-755-7021-S	30-11-12-755-9016-S
768	805	30-11-12-805-7021-S	30-11-12-805-9016-S
867	905	30-11-12-905-7021-S	30-11-12-905-9016-S

Applications :



Support signalétique réversible pour mobilier Pharmalight



Dimension: D. 32 x H. 121 mm

Length (mm)	Mid-distances mm	RAL 7021 S	RAL 9016 S
554	588	30-11-13-588-7021-S	30-11-13-588-9016-S
621	655	30-11-13-655-7021-S	30-11-13-655-9016-S
671	705	30-11-13-705-7021-S	30-11-13-705-9016-S
721	755	30-11-13-755-7021-S	30-11-13-755-9016-S
771	805	30-11-13-805-7021-S	30-11-13-805-9016-S
867	905	30-11-13-905-7021-S	30-11-13-905-9016-S





Applications :



Part 2: Pharmaslim

Cube structures 20/20

- Open frame for MULTIPLE use -to decorate by project-fitter
- Supplied with attached : 4 inserts M6 and feet leveler diam. 20 mm (6,5 to 15mm)
- Square steel profile 20 mm x 20 mm x 2 mm powder painted
- No perforations for any accessories, hang up, or feet leveler
- Possible to install and use in 3 different directions - with coverings or shelves up to your creativity



Overall measures in mm

Side 1	Side 2	Side 3	RAL 7021 S	RAL 9016 S	Weight
440	250	583	31-20-440-250-583-7021-S	31-20-440-250-583-9016-S	5,22 kg
500	440	300	31-20-500-440-300-7021-S	31-20-500-440-300-9016-S	5,09 kg
583	500	300	31-20-583-500-300-7021-S	31-20-583-500-300-9016-S	5,71 kg
700	583	400	31-20-700-583-400-7021-S	31-20-700-583-400-9016-S	7,03 kg
800	650	500	31-20-800-650-500-7021-S	31-20-800-650-500-9016-S	8,22 kg

Cube de présentation « Rhombus »

- Structure en tube 20/20 équipée de panneaux grillagés en partie inférieure
- Aménagements bois laissé à la créativité de l'agenceur
- Acier thermolaqué
- Accessoires inclus: 4 pieds + 4 supports
- Accessoires disponibles: ravier de présentation réversibles

Dimensions

L. 540 x w. 540 x h. 790 mm

RAL 7021 S

31-20-790-RR540-R540-7021-S

RAL 9016 S

31-20-790-RR540-R540-9016-S



RAL 7021 S


30-23-06-7021-S

RAL 9016 S

30-23-06-9016-S

Ravier de présentation réversible

- Dimensions: 249 x 249 x h. 120 mm



Catalogue Pharmalight & Pharmslim

All information mentioned in the catalogue are without any commitment and can be modified at any time.
Products are provided in a suitable package in agreement with the transport standards and adapted to the order.

[H-Pharma](#) reserves the right to change the technical aspects of the product without notifying the customer.
The general terms and conditions are always applicable.
No part of this catalogue may be copied without permission in writing and signed by [H-Pharma](#).



H-PHARMA
Am Dueref 48-2
L-9645 Derenbach
G.D. Luxembourg

Administration:
Tel: +352 24 51 73
info@hpharma.net
www.hpharma.net

